

RECEIVED  
CENTRAL FAX CENTER  
APR 07 2005

**FAX COVER SHEET****TO****COMPANY****FAX NUMBER** 17038729306**FROM** charles mirho**DATE** 2005-04-07 20:23:35 GMT**RE** 10/712,350 FSP0036 Amendment and Election**COVER MESSAGE**

10/712,350 FSP0036 Amendment and Election

GET FREE ONLINE FAX DELIVERY FROM eFAX  
WWW.EFAX.COM

**CERTIFICATE OF FACSIMILE TRANSMISSION**


for

Attorney Docket Number: FSP0036  
Title: EXPANDABLE SCAFFOLD WITH WHEEL LOCK  
Application Number: 10/712,350  
Filing Date: Thursday, November 13, 2003  
First Named Inventor: Winter, Steven  
Group Art Unit: 3634  
Examiner Name: Chin-Shue, Alvin

---

I hereby certify that the following is being transmitted via facsimile to telephone number 703-872-9306 on Thursday, April 07, 2005.

Printed name: Charles A. Mirho

Signature:   
04/07/2005 17:07:14

Contents of This Correspondence

---

4 pages of amendment and election  
1 page of Certificate of facsimile

RECEIVED  
CENTRAL FAX CENTER  
APR 07 2005

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE****AMENDMENT AND ELECTION****FOR**

Attorney Docket Number: FSP0038  
Title: EXPANDABLE SCAFFOLD WITH WHEEL LOCK  
Application Number: 10/712,350  
Filing Date: Thursday, November 13, 2003  
First Named Inventor: Winter, Steven  
Group Art Unit: 3634  
Examiner Name: Chin-Shue, Alvin

---

**Summary of Office Action**

In an office action mailed on March 8, 2005, restriction is required to either of claims 1-11 or claims 12-15.

**Summary of Amendments**

Amendments have been made to the claims. The amendments to the claims are detailed under the heading "CLAIMS". Deletions are shown in strike-through; additions are underlined.

**CLAIMS**

1. (Original) A scaffold comprising:  
a plurality of legs; and  
an expandable platform assembly supported by the legs, the platform assembly comprising at least two shelves, at least one of the shelves sliding in a lengthwise direction in relation to the others in a telescoping fashion.
2. (Original) The scaffold of claim 1, further comprising:  
a first shelf comprising a first rail;  
a second shelf comprising a second rail; and  
the first rail coupled to slide within the second rail, and the first shelf coupled to slide under the second shelf .
3. (Original) The scaffold of claim 2, further comprising:  
a rail lock coupled to the outer rail, the rail lock comprising a pin and a spring.
4. (Original) The scaffold of claim 2, further comprising:  
the inner rail comprising a flange to support the first shelf;  
the outer rail comprising a flange to support the second shelf; and